



# SAFETY DATA SHEET

According to EC Directive 1907/2006/EC, Article 31

Revision Date: 11/May/2011

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**Product Name:** Cesium Acetate Solution

**Synonyms:** Cesium Acetate Brine, CsCH<sub>3</sub>CO<sub>2</sub>

**Use of the Substance/Preparation:** Drilling & completion fluids, Industrial Products

**Supplier:**

Cabot Specialty Fluids Ocean House Hareness Circle Altens Industrial Estate Aberdeen AB12 3LY SCOTLAND Tel: (+44) 1224-897229 Fax: (+44) 1224-870089	Cabot Specialty Fluids Ltd. PB 4 K-12 5347 Kystbasen Agotnes Bergen NORWAY Tel: (+47) 55707052 Fax: (+47) 55707053	Cabot Specialty Fluids Waterway Plaza Two 10001 Woodloch Forest Drive Suite 274 The Woodlands, TX 77380 UNITED STATES Tel: 1-281-298-9955 Fax: 1-281-298-6190
---	--	--

Cabot Specialty Fluids Ltd. One Raffles Quay North Tower Level 25 Singapore 048583 SINGAPORE  
Tel: (+65) 66225522  
Fax: (+65) 66225523

Tantalum Mining Corporation of Canada, Ltd.  
Bernic Lake  
Box 2000  
Lac du Bonnet, MB R0E 1A0  
CANADA  
Tel: 1-204-884-2400  
Fax: 1-204-884-2211

**E-Mail Address:** SDS@cabot-corp.com

**Emergency Telephone Number:** Cabot (UK): (+44) 1446.736999  
US: CHEMTREC 1-800-424-9300 or 1-703-527-3887  
Canada: CANUTEC 1-613-996-6666

## 2. HAZARDS IDENTIFICATION

**Pictogram:**



**Signal Word:** WARNING!

**Classification according to Regulation (EC) No 1272/2008:** Acute Tox. 4, H302  
STOT SE 3, H336

**Hazard Statement(s):** H302 - Harmful if swallowed  
H336 - May cause drowsiness or dizziness

**Precautionary Statement(s):** P261 - Avoid breathing mist/spray  
 P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 P264 - Wash your hands thoroughly after handling  
 P270 - Do not eat, drink or smoke when using this product  
 P301+P312 - IF SWALLOWED: call a poison center or a physician if you fell unwell  
 P330 - Rinse mouth  
 P271 - Use only outdoors or in a well-ventilated area  
 P405 - Store locked up  
 P501 - Dispose of contents/container in accordance with local, regional, national and international regulations

**Classification according to Directive 67/548/EEC:** Xn; R22

**Principle Routes of Exposure:** Inhalation, Eye contact, Skin contact

### **POTENTIAL HEALTH EFFECTS**

**Eye Contact:** May cause irritation. Avoid eye contact.

**Skin Contact:** May be harmful if absorbed through the skin. May cause irritation. Avoid skin contact.

**Inhalation:** May cause irritation of respiratory tract. Although central nervous system effects were observed in a few animals following oral exposure to high doses of cesium acetate, these effects would not be expected under normal handling conditions. Avoid breathing mists.

**Ingestion:** Harmful if swallowed. Although central nervous system effects were observed in a few animals following oral exposure to high doses of cesium acetate, these effects would not be expected under normal handling conditions.

**Carcinogenic Effects:** Does not contain any substances listed by IARC (International Agency for Research on Cancer), NTP (National Toxicology Program), OSHA (Occupational Safety and Health Administration), ACGIH (American Conference for Governmental Industrial Hygienists) or EU (European Union). See also Section 11.

**Target Organ Effects:** Respiratory system, Eyes, Skin, Central Nervous System

**Medical Conditions Aggravated by Exposure:** Asthma, Respiratory disorder, Skin disorders

**Potential Environmental Effects:** Avoid release into the environment. Contain and collect any spilled material. See also Section 12.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS Number	EINECS/ELINCS Number	Weight %	EU Classification
Cesium Acetate	3396-11-0	222-248-0	40-91	Xn;R22
Water	7732-18-5	231-791-2	9-60	None
Carbonate and bicarbonate salts of sodium and/or potassium	Various	Various	0-5	None

## **4. FIRST AID MEASURES**

**Skin Contact:** Wash thoroughly with soap and water. Remove contaminated clothing and shoes. Seek medical attention if redness, swelling, itching, or burning occurs.

---

<b>Eye Contact:</b>	Flush eyes immediately with large amounts of water for 15 minutes. Seek medical attention if redness, swelling, itching, burning or visual disturbances occur.
<b>Inhalation:</b>	If cough, shortness of breath or other breathing problems occur, move to fresh air. Seek medical attention if symptoms persist. If necessary, restore normal breathing through standard first aid measures.
<b>Ingestion:</b>	Do not induce vomiting. If conscious, give several glasses of water. Never give anything by mouth to an unconscious person. Seek medical attention.
<b>Notes to Physician:</b>	Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

<b>Extinguishing Media:</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Special Protective Equipment for Firefighters:</b>	Wear suitable protective equipment. In the event of fire, wear self-contained breathing apparatus.
<b>Specific Hazards:</b>	None known.
<b>Hazardous Decomposition and/or Combustion Products:</b>	Carbon monoxide, Carbon dioxide, Oxides of Cesium.
<b>Risk of Dust Explosion:</b>	Not applicable.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions:</b>	Avoid formation of aerosols. Ensure adequate ventilation. Use personal protective equipment. See also Section 8.
<b>Methods for Cleaning Up:</b>	Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. See Section 13.
<b>Environmental Precautions:</b>	Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. See also Section 13.

## 7. HANDLING AND STORAGE

<b>Handling:</b>	Avoid contact with skin and eyes. Avoid formation of aerosols. Do not breathe spray mist. Provide appropriate exhaust ventilation at machinery and at places where aerosol or mist can be generated.
<b>Storage:</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Do not store together with strong oxidizing agents.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE LIMITS

There are no exposure limits identified for this product.

### ENGINEERING CONTROLS

Ensure adequate ventilation to minimize exposures.

### PERSONAL PROTECTIVE EQUIPMENT

<b>Respiratory Protection:</b>	Approved respirator may be necessary if local exhaust ventilation is not adequate.
<b>Hand Protection:</b>	Wear suitable gloves.
<b>Eye Protection:</b>	Wear eye/face protection. Safety glasses with side-shields. Goggles.
<b>Skin and Body Protection:</b>	Wear chemical impervious protective clothing if skin contact may occur.
<b>Other:</b>	Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety shower should be located nearby.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Colorless Liquid
<b>Odor:</b>	None
<b>Odor Threshold:</b>	None
<b>pH:</b>	9 - 11 (measured in 1:10 dilution with water)
<b>Relative Density:</b>	1.36 - 2.40 g/cm <sup>3</sup>
<b>Vapor Density:</b>	Not determined
<b>Boiling Point/Range:</b>	106 to 183°C
<b>Melting Point/Range:</b>	Not applicable
<b>Vapor Pressure:</b>	100-2800 Pa @ 25°C
<b>Water Solubility:</b>	89.95% soluble at 20°C
<b>% Volatile (by Volume):</b>	Not determined
<b>Evaporation Rate:</b>	Not determined
<b>Viscosity:</b>	1.8-140 cP @ 20°C
<b>Partition Coefficient (n-octanol/water):</b>	<-2.29 (no potential to bioconcentrate)
<b>Surface Tension:</b>	Not determined
<b>Flash Point:</b>	Not applicable
<b>Explosion Limits in Air - Upper (g/m<sup>3</sup>):</b>	Not determined
<b>Explosion Limits in Air - Lower (g/m<sup>3</sup>):</b>	Not determined
<b>Autoignition Temperature:</b>	Not determined
<b>Flammability Classification:</b>	Not determined
<b>Decomposition Temperature:</b>	Not determined
<b>Oxidizing Properties:</b>	Not determined

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable
<b>Hazardous Polymerization:</b>	Hazardous polymerization does not occur.

**Mechanical Sensitivity (shock):** Not sensitive to mechanical impact.

**Conditions to Avoid:** Not determined.

**Hazardous Decomposition and/or Combustion Products:** Carbon monoxide, Carbon dioxide, Oxides of cesium.

**Static Discharge Effects:** Not applicable.

## 11. TOXICOLOGICAL INFORMATION

*Information given is based on data obtained from this substance or from similar substances.*

### ACUTE TOXICITY

**Oral LD50:** LD50/oral/rat = 1500 mg/kg. See STOT - Single Exposure below.

**Inhalation LC50:**  
Not determined.

**Dermal LD50:** LD50/dermal/rabbit = >5000 mg/kg.

**STOT - Single Exposure:** Effects on the central nervous system were observed in rats following a single oral exposure to 1580 mg/kg and higher. These effects would not be expected under normal handling conditions.

**Eye Irritation:** May cause irritation.

**Skin Irritation:** This material was not corrosive or irritating when tested in an in vitro reconstructed human epidermis model

### SUBCHRONIC TOXICITY

Not determined.

**STOT - Repeated Exposure:** No data available

### CHRONIC TOXICITY

**Mutagenic Effects:**  
Not mutagenic in AMES Test.

**Reproductive Toxicity:** Not determined.

**Sensitization:** Contains no known sensitizers.

**Synergistic Materials:** None reasonably foreseeable.

**Carcinogenic Effects:** Does not contain any substances listed by IARC (International Agency for Research on Cancer), NTP (National Toxicology Program), OSHA (Occupational Safety and Health Administration), ACGIH (American Conference for Governmental Industrial Hygienists) or EU (European Union).

**Aspiration Hazard:** Not determined

## 12. ECOLOGICAL INFORMATION

*Information given is based on data from similar substances.*

**Aquatic Toxicity:** Acute crustacean (*Acartia tonsa*) 48 hr LC50 = 296 mg/l  
Algal inhibition (*Skeletonema costatum*) 72 hr EbC50 = 760 mg/l; ErC50 (0-72 hr) > 1000 mg/l  
Acute invertebrate (*Mysidopsis bahia*) 96 hr LC50 = <30,000 ppm  
Acute crustacean (*Corophium volutator*) 10 day LC50 = 6,799 mg/kg

## ENVIRONMENTAL FATE

**Mobility:** Not determined.

**Bioaccumulation:** Log Pow = <-2.29 (no potential to bioconcentrate).

**Persistence / Degradability:** Ready Biodegradability in Sea Water - Closed Bottle Test (OECD Method 306) = 67% degradation after 28 days

**Distribution to Environmental Compartments:** Not determined.

## 13. DISPOSAL CONSIDERATIONS

**Disclaimer:** Information in this section pertains to the product as shipped in its intended composition as described in Section 3 of this MSDS. Contamination or processing may change waste characteristics and requirements. Regulations may also apply to empty containers, liners or rinsate. State/provincial and local regulations may be different from federal regulations.

Product, as supplied, should be disposed of in accordance with the regulations issued by the appropriate federal, state and local authorities. Same consideration should be given to containers and packaging.

## 14. TRANSPORT INFORMATION

**UN Number:** Not regulated

**UN Proper Shipping Name:** Not regulated

**UN Shipping Class:** Not regulated

**UN Packing Group:** Not regulated

### **IMDG (International Maritime Organization's Dangerous Goods Code):**

Use UN classification listed above.

### **IATA**

Use UN classification listed above.

## 15. REGULATORY INFORMATION

### **EU Chemical Safety Assessment:**

No Chemical Safety Assessment has been carried out

### **EU Exposure Scenarios**

Exposure scenarios have not yet been developed.

Cesium Acetate



**Risk Phrases:** R22 - Harmful if swallowed.

#### **International Inventories**

**All components of this product are listed on or exempt from the following inventories:**

- YES - Australian Inventory of Chemical Substances (AICS)
- YES - Canadian Domestic Substances List (DSL)
- NO - Chinese Inventory
- YES - European Inventory of Existing Commercial Chemical Substances (EINECS)
- NO - Japanese Inventory of Existing and New Chemical Substances (ENCS)
- YES - Korean Existing Chemicals List (KECL)
- NO - New Zealand Hazardous Substances and New Organisms Act (HSNO)
- NO - Philippines Inventory of Chemicals and Chemical Substances (PICCS)
- YES - United States Toxic Substances Control Act (TSCA) Inventory

#### **Germany Water Endangering Class (WGK) Class**

**WGK ID Nr.:** Not determined

#### **Switzerland Giftklasse (Poison Class) Toxic Category**

**ID Nr.:** Not determined

## 16. OTHER INFORMATION

#### **Section 2 EU Classification Legend:**

R22 - Harmful if swallowed.

**Prepared by:** Cabot Corporation - Safety, Health and Environmental Affairs

**Revision Date:** 11/May/2011

**Previous Revision Date:** 25/February/2008

**Reason for Revision:** Change in composition, New format to ensure compliance with 1272/2008/EC (CLP), Revisions throughout

#### **Disclaimer:**

The information set forth is based on information that Cabot Corporation believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and Cabot assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

® and 'TM' indicate trademarks of the Cabot Corporation.