



MATERIAL SAFETY DATA SHEET

Prepared in accordance with ISO 11014-1/ ANSI standard
Z400.1-2004

Revision Date: 15/January/2010

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Cesium Formate Solution
Synonyms: CsCOOH, Cesium Formate Brine
Use of the Substance/Preparation: Drilling fluids, Catalyst, Industrial Products

Supplier:

Cabot Specialty Fluids Waterway Plaza Two 10001 Woodloch Forest Drive Suite 275 The Woodlands, TX 77380 UNITED STATES Tel: 1-281-298-9955 Fax: 1-281-298-6190	Tantalum Mining Corporation of Canada, Ltd. Bernic Lake Box 2000 Lac du Bonnet, MB R0E 1A0 CANADA Tel: 1-204-884-2400 Fax: 1-204-884-2211	Cabot Specialty Fluids Ocean House Hareness Circle Altens Industrial Estate Aberdeen AB12 3LY SCOTLAND Tel: (+44) 1224-897229 Fax: (+44) 1224-870089
--	--	---

Emergency Telephone Number: US: CHEMTREC 1-800-424-9300 or 1-703-527-3887
US: Other 1-978-663-3455
Canada: CANUTEC 1-613-996-6666

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW - CAUTION: Colorless Liquid. Harmful if swallowed. Irritating to eyes and skin. Do not breathe vapors/spray.

Principle Routes of Exposure: Eye contact, Skin contact

POTENTIAL HEALTH EFFECTS

Eye Contact: Irritating to eyes. Avoid contact with eyes.

Skin Contact: Irritating to skin. Avoid contact with skin.

Inhalation: Due to its liquid state, this material is not expected to be a significant inhalation hazard. Aerosols or dried product may be irritating to respiratory tract.

Ingestion: Harmful if swallowed.

Carcinogenic Effects: Does not contain any substances listed by IARC (International Agency for Research on Cancer), NTP (National Toxicology Program), OSHA (Occupational Safety and Health Administration), ACGIH (American Conference for Governmental Industrial Hygienists) or EU (European Union). See also Section 11.

Target Organ Effects: Eyes, Skin, Respiratory system, Nervous system

Medical Conditions Aggravated by Exposure: None under normal use

Potential Environmental Effects: No special environmental precautions required. See also Section 12.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	EINECS/ELINCS Number	Weight %	EU Classification
Cesium Formate	3495-36-1	222-492-8	60-84	Xn;R48/22-36
Water	7732-18-5	231-791-2	16-40	None
Other alkali formates	Various	Not determined	1-5	None
Carbonate and bicarbonate salts of sodium and/or potassium	Various	Various	0-5	None

4. FIRST AID MEASURES

Skin Contact:	Wash thoroughly with soap and water. Remove contaminated clothing and shoes. Seek medical attention if redness, swelling, itching, or burning occurs.
Eye Contact:	Flush eyes immediately with large amounts of water for 15 minutes. Seek medical attention if redness, swelling, itching, burning or visual disturbances occur.
Inhalation:	If cough, shortness of breath or other breathing problems occur, move to fresh air. Seek medical attention if symptoms persist. If necessary, restore normal breathing through standard first aid measures.
Ingestion:	Do not induce vomiting. If conscious, give several glasses of water. Never give anything by mouth to an unconscious person. Seek medical attention.
Notes to Physician:	Treat symptomatically.

5. FIRE AND IGNITION INFORMATION

Flash Point:	Not applicable
Explosion Limits in Air - Upper (g/m³):	Not applicable
Explosion Limits in Air - Lower (g/m³):	Not applicable
Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special Protective Equipment for Firefighters:	Wear suitable protective equipment. In the event of fire, wear self-contained breathing apparatus.
Specific Hazards:	Burning produces irritant fumes.
Hazardous Decomposition and/or Combustion Products:	Carbon monoxide, Carbon dioxide, Hydrogen, Mixture of inorganic salts.
Risk of Dust Explosion:	None.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid formation of dust and aerosols. Ensure adequate ventilation. Use personal protective equipment. See also Section 8.
Methods for Cleaning Up:	Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. See Section 13.
Environmental Precautions:	Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. See also Section 13.

7. HANDLING AND STORAGE

7. HANDLING AND STORAGE

Handling:	Avoid contact with skin and eyes. Avoid formation of dust, aerosol, or mist. Do not breathe aerosols or dust from dried material. Provide appropriate exhaust ventilation at machinery and at places where dust, aerosol, or mist can be generated.
Storage:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Do not store together with strong oxidizing agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

There are no exposure limits identified for this product.

ENGINEERING CONTROLS

Ensure adequate ventilation to minimize exposures.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection:	Approved respirator may be necessary if local exhaust ventilation is not adequate.
Hand Protection:	Wear as appropriate. Impervious gloves. Neoprene gloves. Nitrile rubber gloves. Rubber gloves. PVC or other plastic material gloves.
Eye Protection:	Wear eye/face protection. Safety glasses with side-shields. Goggles. Wear face-shield if splashes are likely to occur.
Skin and Body Protection:	Wear chemical impervious protective clothing if skin contact may occur.
Other:	Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety shower should be located nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Colorless Liquid
Odor:	None
pH:	10 - 11 (measured in 1:10 dilution with water)
Vapor Pressure:	400-2250 Pa
Vapor Density:	Not determined
Boiling Point/Range:	102-145°C
Melting Point/Range:	Not applicable
Water Solubility:	84.6-86.6% soluble at 20 ±0.5°C
Density:	1.05-2.40 g/cm ³
Bulk Density:	Not applicable
Evaporation Rate:	<0 @ 20°C
Viscosity:	1-6 cp @ 20°C
Partition Coefficient (n-octanol/water):	<-2.20 (no potential to bioconcentrate)
Surface Tension:	72.4 mN/m at 21.0 ± 0.5°C for a 1.04 g/l solution.

10. STABILITY AND REACTIVITY

Stability:	Stable
Hazardous Polymerization:	Hazardous polymerization does not occur.
Mechanical Sensitivity (shock):	Not sensitive to mechanical impact.
Conditions to Avoid:	Avoid contact with strong oxidizing agents. During long exposures to high temperatures, and in contact with certain catalysts, some liberation of gasses (H ₂ and CO) might occur. The greatest risk exists when dry formate powder is contacted by a platinum catalyst. Users are advised to obtain the Cabot Specialty Fluid's (CSF) Formate Technical Manual, Section A13 from a CSF representative for more detailed information on conditions to avoid. CSF does not recommend retorting formate solutions to determine solids content as temperatures may exceed 500 °C. The use of rupture disks is recommended as a precautionary measure when conducting heat aging of formate solutions at temperatures above 150 °C.
Hazardous Decomposition and/or Combustion Products:	Carbon dioxide, Carbon monoxide, Hydrogen, Mixture of inorganic salts.
Static Discharge Effects:	Avoid formation of dust and aerosols. Take precautionary measures against static discharges.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Oral LD50: LD50/oral/rat = 1780 mg/kg. LD50/oral/rat > 300 mg/kg and < 2000 mg/kg.

Inhalation LC50: Not determined.

Dermal LD50: LD50/dermal/rat = >2000 mg/kg.

Eye Irritation: Moderate eye irritation in rabbits.

Skin Irritation: Primary irritation index = 1.8. Slight irritation.

SUBCHRONIC TOXICITY

28-day/oral/rat: Effects were observed in multiple organ systems at the high dose (500 mg/kg/d). Signs of neurotoxicity were also observed. Elevated reticulocyte count and effects on the heart, liver, spleen and serum biochemistry were observed at the middle dose (150 mg/kg/d). Elevated reticulocyte count was the only effect observed at the low dose (15 mg/kg/d).

CHRONIC TOXICITY

Carcinogenic Effects: Does not contain any substances listed by IARC (International Agency for Research on Cancer), NTP (National Toxicology Program), OSHA (Occupational Safety and Health Administration), ACGIH (American Conference for Governmental Industrial Hygienists) or EU (European Union).

OTHER

Mutagenic Effects:

Not mutagenic in AMES Test, Negative in chromosome aberration test in human lymphocytes, Negative in mouse lymphoma assay.

Reproductive Toxicity: Effects observed in ovaries and testes at 500 mg/kg/d in a 28-day oral repeated dose study in rats. No effects were observed on reproductive organs at the two lower doses (150 and 15 mg/kg/d).

Sensitizing Effects: Contains no known sensitizers.

Synergistic Materials: None reasonably foreseeable.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity:

MARINE

Pacific oyster (*Crassostrea gigas*) EC50 (24 hr) = 1200 mg/l
Marine copepod (*Acartia tonsa*) EC50 (48 hr) = 340 mg/l
Marine algae (*Skeletonema costatum*) EC50 (72 hr) = 710 mg/l
Brown shrimp (*Crangon crangon*) LC50 (96 hr) = 91 mg/l
Juvenile turbot (*Scophthalmus maximus*) LC50 (96 hr) = 260 mg/l
Amphipod (*Corophium volutator*) LC50 (10 day) = 6653 mg/kg
Mysid shrimp (*Mysidopsis bahia*) LC50 (96 hr) < 30,000 ppm

FRESHWATER

Zebra fish (*Brachydanio rerio*) LC50 (96 hr) >100 mg/l
Rainbow trout (*Oncorhynchus mykiss*) LC50 (96 hr) = 2100 mg/l
Water flea (*Daphnia magna*) EC50 (48 hr) = 35 mg/l
Freshwater algae (*Scenedesmus subspicatus*) EC50 (72 hr) = 1.6 mg/l
Freshwater algae (*Selenastrum capricornutum*) EC50 (72 hr) = 3.5 mg/l

Other Information:

In the majority of marine species, this material has not demonstrated toxicity and has received a Group E Rating (the highest approval rating) under the PARCOM Harmonized Offshore and Chemical Notification Format (HOCNF).

ENVIRONMENTAL FATE

Bioaccumulation:

Log Pow = <-2.20 (no potential to bioconcentrate). See also Section 9.

Persistence / Degradability:

Readily biodegradable
Ready Biodegradability in Sea Water - Closed Bottle Test (OECD Method 306) = 79% degradation after 28 days
Ready Biodegradability in Sea Water - Closed Bottle Test (OECD Method 306) = 66% degradation after 28 days
Ready Biodegradability in Freshwater - Closed Bottle Test (OECD Method 301D) = 83% degradation after 28 days
Ready Biodegradability in Freshwater - Closed Bottle Test (OECD Method 301D) = 79% degradation after 28 days

13. DISPOSAL CONSIDERATIONS

Disclaimer: Information in this section pertains to the product as shipped in its intended composition as described in Section 3 of this MSDS. Contamination or processing may change waste characteristics and requirements. Regulations may also apply to empty containers, liners or rinsate. State/provincial and local regulations may be different from federal regulations.

Unused and Uncontaminated Product: Product, as supplied, should be disposed of in accordance with the regulations issued by the appropriate federal, state and local authorities. Same consideration should be given to containers and packaging.

14. TRANSPORT INFORMATION

Not covered by International Regulation on the transport of Dangerous Goods (IMDG, IATA, ADR/RID).

UN Number: Not Regulated

UN Proper Shipping Name: Not classified

UN Shipping Class: Not classified

UN Packing Group: Not classified

IMO IBC Code:

Cesium Formate - Provisionally assessed as: Pollution Category Z, Ship Type 3, with additional requirement 15.19.6.

IMDG (International Maritime Organization's Dangerous Goods Code):

Not regulated.

IATA (International Air Transport Association):

Not regulated.

15. REGULATORY INFORMATION

Hazard Classification

United States - OSHA (29 CFR 1910.1200): Hazardous.

Mexico - NOM-018-STPS-2000: Refer to HMIS Rating in Section 16.

Canada - WHMIS Classification (CPR, SOR/88-66): Class D2B - Toxic Material.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

International Inventories

All components of this product are listed on or exempt from the following inventories:

YES - Australian Inventory of Chemical Substances (AICS)

YES - Canadian Domestic Substances List (DSL)

NO - Chinese Inventory

YES - European Inventory of Existing Commercial Chemical Substances (EINECS)

NO - Japanese Inventory of Existing and New Chemical Substances (ENCS)

NO - Korean Existing Chemicals List (KECL)

NO - New Zealand Hazardous Substances and New Organisms Act (HSNO)

NO - Philippines Inventory of Chemicals and Chemical Substances (PICCS)

YES - United States Toxic Substances Control Act (TSCA) Inventory

U.S. Federal Regulations

TSCA 12(b) Export Notification: This product does not contain any components that are subject to TSCA 12(b) Export Notification.

Clean Air Act Amendments of 1990 (CAA, Section 112, 40 CFR 82): This product does not contain any components listed as a Hazardous Air Pollutant, Flammable Substance, Toxic Substance, or Class 1 or 2 Ozone Depletor.

Clean Water Act (CWA, 40 CFR 116) Priority Pollutants: This product does not contain any listed Priority Pollutants.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA, 40 CFR 302): This product does not contain any listed Hazardous Substances.

Superfund Amendments and Reauthorization Act, Title III (SARA):

SARA Section 302 (40 CFR 355) Extremely Hazardous Substances: No components are listed as extremely hazardous substances under SARA Section 302.

SARA Sections 311/312 (40 CFR 370) Hazard Category: ACUTE/IMMEDIATE HEALTH HAZARD.

SARA Section 313 (40 CFR 372) Toxics Release Inventory: Does not contain any of the substances identified under Section 313 as toxic chemicals in excess of the de minimis concentrations necessary to be subject to the supplier notification requirements.

Food and Drug Administration (FDA):

Not permitted

Pharmaceutical Information: Not permitted

U.S. State Regulations

California Proposition 65: This product does not contain any components listed on California Proposition 65.

US Coalition of NorthEastern Governors (CONEG) Metals List: This product meets the CONEG Source Reduction Council limits for the sum of the levels of lead, cadmium, mercury and hexavalent chromium of less than 100 parts per million by weight.

16. OTHER INFORMATION

HMIS Rating

HMIS Index: * - chronic, 0 - minimal, 1 - slight, 2 - moderate, 3 - serious, 4 - severe

Health: *1

Flammability: 0

Physical Hazard: 0

References:

MARPOL 73/78, Latest edition of Marine Environment Protection Committee (MEPC) Circulars MEPC.2/Circular, IBC Code, IMO Resolution A.673(16) Guidelines for the Transport and Handling of Limited Amounts of Hazardous and Noxious Liquid Substances in bulk on Offshore Support Vessels.

Prepared by: Cabot Corporation - Safety, Health and Environmental Affairs
Revision Date: 15/January/2010
Previous Revision Date: 04/September/2009
Reason for Revision: Revision to Section(s) 9,11

Disclaimer:

The information set forth is based on information that Cabot Corporation believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and Cabot assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

® and 'TM' indicate trademarks of the Cabot Corporation.